



#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Application of: Arthur CASTLE et al.	)
Appli	cation No. 10/633,306	) Group Art Unit: 3725
Filed:	August 4, 2003	) Examiner: Not Assigned
For:	METHODS FOR CLASSIFICATION	)
	OF BIOLOGICAL DATA	)

## SECOND INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §§ 1.56 AND 1.97

U.S. Patent and Trademark Office 2011 South Clark Place Customer Window Crystal Plaza Two, Lobby, Room 1B03 Arlington, VA 22202

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. §§ 1.56 and 1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby invite the Examiner's attention to references cited on the attached Revised PTO Form 1449.

With the exception of U.S. Patent Applications and U.S. Patents, copies of the documents are attached. Applicants respectfully request that the Examiner consider the listed documents and evidence that consideration by making appropriate notations on the attached form.

Identification of the listed references is not to be construed as an admission of Applicants or Attorneys for Applicants that such references are available as "prior art" against the subject application. Consequently, Applicants respectfully decline to use form PTO-1449, since this form identifies all of the references therein as "Prior Art." As an alternative, Applicants submit herewith a "revised PTO Form 1449" entitled "List of References Cited By Applicant" instead of "List of Prior Art Cited."

ATTORNEY DOCKET NO. 44921-5119

Application No. 10/633,306

Page 2

Applicants respectfully request that the Examiner review all of the references and make them of record in the present application by signing and returning the enclosed List of References Cited.

Pursuant to 37 C.F.R. § 1.97(b)(3), this Information Disclosure Statement is being filed before the mailing date of a first Office Action on the merits, so that no fee is believed to be due. However, should the Patent Office determine otherwise, please charge the required fee to Morgan, Lewis & Bockius LLP Deposit Account 50-0310.

Dated: August 6, 2004

Respectfully submitted,

Morgan, Lewis & Bockius LLP

Dean L. Fanelli

Registration No. 48,907

Customer No. **09629 Morgan, Lewis & Bockius** LLP
1111 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
202.739.3000
202.739.3001

**Enclosures** 

#### APPLICATION NO ATTY DOCKET NO. 10/633,306 44921-5119 LIST OF REFERENCES CITED BY APPLICANT APPLICANT (Revised PTO Form 1449) Arthur CASTLE et al. GROUP FILING DATE 3725 August 4, 2003 **U.S. PATENT DOCUMENTS**

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
· ·	A01	US 2004/0110193 A1	6/10/2004	Castle et al.	435	6	
	A02	US 2002/0176821 A1	11/28/2002	Fogarty	424	9.2	
	A03	US 2002/0169562 A1	11/14/2002	Stephanopoulous et al.	702	19	
	A04	US 2002/0111742 A1	8/15/2002	Rocke et al.	702	19	
	A05	US 2002/0019704 A1	2/14/2002	Tusher et al.	702	19	
	A06						
	A07						
	A08						
	A09						

		FOREIG	N PATENT DOCU	MENTS				
	DOCUMENT NUMBER	DATE	COUN	ITRY	CLASS	SUBCLASS	TRANSL	ATIO
,							YES	NO
B01	WO 02/10453 A2	2/7/2002	PCT					
B02								-
B03								
B04								
B05								

	OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
C01	M. Xiong et al., "Feature (Gene) Selection in Gene Expression-Based Tumor Classification," Molecular Genetics and Metabolism, 73, 239-247 (2001).
C02	S. Raychaudhuri et al., "Pattern recognition of genomic features with microarrays: site typing of Mycobacterium tuberculosis strains," ISMB, 286-195, (2000).
C03	T. R. Golub et al., "Molecular Classification of Cancer: Class Discovery and Class Prediction by Gene Expression Monitoring," Science, Vol 285, 531-537, 15 October 1999.
C04	S. Raychaudhuri et al., "Basic microarray analysis: grouping and feature reduction," <u>TRENDS in Biotechnology</u> , Vol. 19 No. 5 May 2001, 189-193.
C05	E. Ronchetti et al., "Robust Linear Model Selection by Cross-Validation," <u>Journal of the American Statistical Association</u> , September 1997, Vol. 92, No. 439, Theory and Methods, 1017-1023.
C06	J. Shao, "Linear Model Selection by Cross-Validation," <u>Journal of the American Statistical Association</u> , June 1993, Vol. 88, No. 422, Theory and Methods, 486-494.

EXAMINER	DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformal considered. Include copy of this form with next communication to applicant.	nce with MPEP 609; Draw line through citation if not in conformance and not





PATENT Attorney Docket 44921-5119

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Arthur CASTLE et al.	)
Application No. <b>10/633,306</b>	) Group Art Unit: 3725
Filed: August 4, 2003	) Examiner: Not Assigned
For: METHODS FOR CLASSIFICATION OF BIOLOGICAL DATA	) ) )

# INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §§ 1.56 AND 1.97

U.S. Patent and Trademark Office 2011 South Clark Place Customer Window Crystal Plaza Two, Lobby, Room 1B03 Arlington, VA 22202

In accordance with the duty of disclosure imposed by 37 C.F.R. §§ 1.56 and 1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby invite the Examiner's attention to references cited on the attached Revised PTO Form 1449. The references were cited pending parent Application Number 09/917,800, filed July 31, 2001. Copies of the references are not enclosed as they should be available in the file of the parent application. Should the Examiner be unable to locate copies of the references, Applicants will supply them upon request. A copy of reference numbers 3 and 4 is also submitted herewith.

Identification of the listed references is not to be construed as an admission of Applicants of Attorneys for Applicants that such references are available as "prior art" against the subject application. Consequently, Applicants respectfully decline to use form PTO-1449, since this form identifies all of the references therein as "Prior Art." As an alternative, Applicants submit herewith a "revised PTO Form 1449" entitled "List of References Cited By Applicant" instead of "List of Prior Art Cited."

Applicants respectfully request that the Examiner review all of the references and make them of record in the present application by signing and returning the enclosed List of References Cited.

Pursuant to 37 C.F.R. § 1.97(b)(3), this Information Disclosure Statement is being filed before the mailing date of a first Office Action on the merits, so that no fee is believed to be due. However, should the Patent Office determine otherwise, please charge the required fee to Morgan, Lewis & Bockius LLP Deposit Account 50-0310.

Dated: August 6, 2004

Customer No. **09629 Morgan, Lewis & Bockius** LLP
1111 Pennsylvania Avenue, N.W.
Washington, D.C. 20004
202.739.3000

**Enclosures** 

202.739.3001

Respectfully submitted,

Morgan, Lewis & Bockius LLP

Dean L. Fanelli

Registration No. 48,907

Page 1 of 20

	/8 × ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~					1 450 1 01 2
	F REFERENCES C APPLICANT evised PTO Form 14		Attorney Docket 44921-5119	1	Application 10/633,306	No.
(Us	se several sheets if neces	sary)	Applicant: Arthur C	CASTLE et al.		
PTO Form 1449			Filing Date: August	4, 2003	Group Art U	Init: 3725
		U.S. PAT	ENT DOCUMENTS			
Initial	Patent No.	Issue Date	Name	Class	Sub-	Filing Date

Initial		Patent No.	Issue Date	Name	Class	Sub- class	Filing Date
	1.	6,403,778	6/11/2002	Cunningham et al.	536	22.1	8/28/1998
	2.	6,160,105	2000/12/12	Cunningham et al.			1998-10-13
	3.	6,218,122	4/17/2001	Friend et al.			
	4.	2001/0049139	12/6/2001	Lagasse et al.			

### FOREIGN PATENT DOCUMENTS

	Document No.	Publication Date	Country	Class	Sub-	Trans	lation
			<u> </u>		class	Yes	No
5.	WO 01/02609	2001-01-11	PCT				
6.	WO 00/12760	2000-03-09	WO				
7.	WO 03/085083	2003-10-16	PCT				
8.	WO 03/095624	2003-11-20	PCT				
9.	WO 03/100030	2003-12-04	PCT				
10.	WO 94/17208	1994-08-04	PCT				
11.	WO 97/13877	1997-04-17	PCT				
 12.	WO 97/16732	1997-05-09	PCT				1
 13.	WO 99/12118	1999-03-11	PCT				
 14.	WO 00/12760	2000-03-09	PCT				
 15.	WO 00/28092	2000-05-18	PCT				
16.	WO 00/39336	2000-07-06	PCT				
17.	WO 00/47761	2000-08-17	PCT				
18.	WO 00/63435	2000-10-26	PCT				
19.	WO 01/11076	2001-02-15	PCT				
20. `	WO 01/14425	2001-03-01	PCT				
21.	WO 01/36684	2001-05-25	PCT				
22.	WO 01/20043	2001-03-22	PCT				
23.	WO 01/23886	2001-04-05	PCT				
 24.	WO 01/25473	2001-04-12	PCT				
 25.	WO 01/32928	2001-05-10	PCT				
26.	WO 01/38579	2001-05-31	PCT				
 27.	WO 01/44512	2001-06-21	PCT				
 28.	WO 01/63279	2001-08-30	PCT				

		OTHER DOCUMENTS
	29.	Abernathy et al., Proc. Soc. Exp. Biol. Med., 199: 54-58 (1992)
	30.	Accatino et al., Hepatology, 28: 129-140 (1998)
	31.	Adamson & Harman et al., Biochem. Pharmacol., 45:2289-2294 (1993)
· · · · · · · · · · · · · · · · · · ·	32.	Afshari et al., Cancer Res., 59: 4759-4760 (1999)
	33.	Agha & Gad, Pharmacol. Res., 32: 279-285 (1995)
	34.	Ahotupa et al., Carcinogenesis., 15: 863-868 (1994)
	35.	Akesson & Akesson, Scand. J. Rheumatol., 13: 198-202 (1984)
	36.	al Casey et al., Toxicol. Lett., 76: 257-265 (1995)
	37.	Al-Bayati & Stohs, Arch. Environ. Contam. Toxicol., 20: 361-365 (1991)
	38.	Allan et al., J. Biol. Chem, 276: 27272-27280 (2001)
	39.	Ameisen, Nature, 395: 117-119 (1998)
	40.	Ammann et al., Toxicol. Appl. Pharmacol., 149: 217-225 (1998)
	41.	Andersen & Barton, Environ. Health Perspect., 106: 349-355 (1998)
	42.	Anderson et al., Mol. Carcinog., 26: 226-238 (1999)
	43.	Anderson et al., Toxicol. Appl. Pharmacol., 137: 75-89 (1996)
	44.	Andersson et al., Toxicology, 135: 11-20 (1999)
	45.	Anton et al., Cell Biochem. Biophys., 32: 27-36 (2000)
	46.	Anton et al., Cell Biochem. Biophys., 32: 27-36 (2000)
·	47.	Arano et al., Arzneimittelforschung, 46: 398-400 (1996)
	48.	Ashby & Lefevre, J. Appl. Toxicol., 20: 35-47 (2000)
	49.	Atchison et al., Digestive Dis. Sci., 45: 614-620 (2000)
	50.	Aura et al., Eur. J. Pharmacol., 342: 15-20 (1998)
	51.	Ax et al., Biochem. Pharmacol., 59: 293-300 (2000)
	52.	Azri-Meehan et al., Fundam. Appl. Toxicol., 22: 172-177 (1994)
	53.	Bagetta et al., Biochem. Biophys. Res. Commun., 197: 1132-1139 (1993)
	54.	Bagetta et al., Eur. J. Pharmacol., 213: 301-304 (1992)
	55.	Bajgar et al., Neurochem. Int., 24: 555-558 (1994)
	56.	Baker et al., Chem. Res. Toxicol., 14: 1218-1231 (2001)
	57.	Barner & Gray, Ann. Pharmacother., 32: 70-77 (1998)
	58.	Bartosiewicz et al., J. Pharmacol. Exp. Ther., 297: 895-905 (2001)
	59.	Basnet et al., Biol. Pharm. Bull., 19: 1479-1484 (1996)

Page 3 of 20

	1 age 3 of 20
60.	Beck et al, Arch. Toxicol., 64: 210-217 (1990)
61.	Becker et al., Alzheimer Dis. Assoc. Disord., 10: 124-131 (1996)
62.	Becker et al., Am. J. Kidney Dis., 22: 611-615 (1993)
63.	Becquemont et al., Fundam. Clin. Pharmacol., 10: 156-157 (1996)
64.	Becquemont et al., Pharmacogenetics, 7: 251-253 (1997)
65.	Bedard et al., Antimicrob. Agents Chemother., 43: 557-567 (1999)
66.	Bedossa et al., Hepatology, 19: 1262-1271 (1994)
67.	Beierschmitt et al., Toxicol. Sci., 63: 15-21 (2001)
68.	Belles et al., Vet. Hum. Toxicol., 40: 269-272 (1998)
69.	Belury et al., Toxicol. Appl. Pharmacol., 151: 254-261 (1998)
70.	Benoit et al., Biochem. Pharmacol., 53: 423-427 (1997)
71.	Bentley et al., Food Chem. Toxicol., 31: 857-907 (1993)
72.	Bergeron et al., Xenobiotica, 28: 303-312 (1998)
73.	Bergstrom et al., Annu. Rev. Microbiol., 49: 607-639 (1995)
74.	Berndt et al., Proc. Natl. Acad. Sci. U.S.A, 95: 12556-12561 (1998)
_ 75.	Berson et al., Gastroenterology, 110: 1878-1890 (1996)
76.	Berthou et al., Eur. J. Biochem., 232: 179-187 (1995)
77.	Bezek et al., Xenobiotica, 26: 935-946 (1996)
78.	Bhagwat et al., Int. J. Oncol., 13: 281-288 (1998)
79.	Birge et al., Toxicol. Appl. Pharmacol., 105: 472-482 (1990)
80.	Bissig et al., "Functional expression cloning of the canalicular sulfate transport system of rat hepatocytes," J Biol Chem 269(4):3017-3021, 1994.
81.	Blackard et al., J. Clin. Gastroenterol., 26: 57-59 (1998)
82.	Blazka et al., J. Inflamm., 47: 138-150 (1995-96)
83.	Blazka et al., Res. Commun. Mol. Pathol. Pharmacol., 92: 259-273 (1996)
84.	Blazka et al., Toxicol. Appl. Pharmacol., 133: 43-52 (1995)
85.	Boelsterli et al., Cell Biol. Toxicol., 3: 231-250 (1987)
- 86.	Bombick & Matsumura, J. Biochem. Toxicol., 2: 141-154 (1987)
87.	Booth et al., Hepatology, 23: 771-780 (1996)
88.	Bort et al., Drug Metab. Dispos., 24: 969-975 (1996)
89.	Bort et al., J. Pharmacol. Exp. Ther., 288: 65-72 (1999)
90.	Bosio and Borlak, Innovations in Pharmaceutical Technology, 65-75

Page 4 of 20

	Page 4 of 20
91.	Bouchard et al., Liver, 13: 193-202 (1993)
92.	Brown et al., Arch. Biochem. Biophys., 342: 134-142 (1997)
93.	Brown et al., Environ. Health Perspect., 104: 634-6440 (1996)
94.	Bruck et al., Dig. Dis. Sci., 44: 1228-1235 (1999)
95.	Bruckner et al., J. Pharmacol. Exp. Ther., 300: 273-281 (2002)
96.	Bulera et al., Toxicol. Appl. Pharmacol., 134: 313-320 (1995)
97.	Burcham & Harman, J. Biol. Chem., 266: 5049-5054 (1991)
98.	Burchiel et al., Toxicol. Sci., 59: 193-195 (2001)
99.	Burczynski & Penning, Cancer Res., 60: 908-915 (2000)
100	Burczynski et al., Toxicol. Sci., 58: 399-415 (2000)
101	Bursch et al., Arch. Toxicol., 59: 221-227 (1986)
102	Bursch et al., Arch. Toxicol., 69: 253-258 (1995)
103	Buttar et al., Toxicology., 6: 9-20 (1976)
104	Butterworth et al., Cancer Res., 49: 1075-1084 (1989)
105	Buttery et al., Lab. Invest., 71: 755-764 (1994)
106	Byard & Dougherty, In Vitro Cell Dev. Biol., 21: 489-494 (1985)
107	Cabre et al., Clin. Exp. Pharmacol. Physiol., 27: 694-699 (2000)
108	Cai et al., J. Med. Chem., 41: 1970-1979 (1998)
109	Calabrese et al., Food Chem. Toxicol., 34: 301-311 (1996)
110	Calabrese et al., J. Amer. College Toxicol., 15: 62-69 (1996)
111	Carfagna et al., Toxicol. Appl. Pharmacol., 137: 173-181 (1996)
112	Carpenter-Deyo & Reed, J. Pharmacol. Exp. Ther., 258: 747-752 (1991)
113	Carriero et al., Pharmacol. Biochem. Behav., 58: 851-858 (1997)
114	Casley et al., Pharmacogenetics, 7: 283-293 (1997)
115	Castell et al., Cell Biol. Toxicol., 13: 331-338 (1997)
116	Cattley et al., Cancer Lett., 33: 269-277 (1986)
117	Cattley et al., Carcinogenesis, 9: 1179-1183 (1988)
118	Chan et al., Proc. Natl. Acad. Sci. U.S.A., 98: 4611-4616 (2001)
119	Chanda et al., Hepatology, 21: 477-486 (1995)
120	Chen et al., Amino Acids, 18: 319-327 (2000)
121	Chen et al., Carcinogenesis, 21: 1205-1211 (2000)

Page 5 of 20

	Page 5 01 20
122	Chen et al., J. Biol. Chem, 275: 22619-22622 (2000)
123	Chen et al., J. Environ. Pathol. Toxicol. Oncol., 14: 83-99 (1995)
124	Cheng et al., Neuroreport., 8: 97-101 (1996)
125	Chico et al., Exp. Clin. Endocrinol. Diabets., 104: 137-144 (1996)
126	Chisholm et al., Am. J. Physiol., 276: G1165-G1173 (1999)
127	Chou et al., Proc. Natl. Acad. Sci. U.S.A, 98: 8113-8118 (2001)
128	Christian et al., Toxicol. Appl. Pharmacol., 82: 239-255 (1986)
129	Clive et al., Fundam. Appl. Toxicol., 3: 587-602 (1983)
130	Coles et al., Arch. Biochem. Biophys., 264: 253-260 (1988)
131	Conforti et al., Agents Actions, 40: 176-180 (1993)
132	Coni et al., Hepatology, 17: 1109-1116 (1993)
133	Corell et al., Acta Pharmacol. Toxicol. (Copenh), 45: 232-239 (1979)
134	Corton & Stauber, Toxicol. Sci., 58: 217-219 (2000)
135	Corton et al., Biochimie., 79: 151-162 (1997)
136	Corton et al., Cancer Lett., 134: 61-71 (1998)
137	Corton et al., Cancer Lett., 137: 9-15 (1999)
138	Corton et al., Mol. Pharmacol., 54: 463-473 (1998)
139	Cousins et al., Eur. J. Pharmacol., 322: 137-145 (1997)
140	Cousins et al., Physiol. Behav., 64: 153-158 (1998)
141	Coyne et al., Gastroentology, 75: 76-90 (1978)
. 142	Crismon, Ann. Pharmacother., 28: 744-751 (1994)
143	Crosby et al., Toxicol. Appl. Pharmacol., 169: 205-221 (2000)
144	Cuevas et al., Clin. Exp. Pharmacol. Physiol., 28: 637-642 (2001)
145	Cunningham et al., Ann. N.Y. Acad. Sci., 919: 52-67 (2000)
146	D'Mello et al., Exp. Toxicol. Pathol., 51: 549-553 (1999)
147	Darbre & King, J. Steriod Biochem., 36: 385-390 (1990)
148	Davila et al., Toxicology., 57: 267-286 (1989)
149	Davis et al., Cancer Res., 60: 2887-2891 (2000)
150	Davydov, Trends Biochem. Sci., 26: 155-1560 (2001)

Page 6 of 20

Page 6 of 20
De Fabiani et al., J. Biol. Chem., 276: 30708-30716 (2001)
De Ferrari et al., J. Neurosci. Res., 52: 435-444 (1998)
Del Giudice et al., IL Farmaco., 51: 693-698 (1996)
Delaney & Segel, South. Med. J., 78: 1390-1392 (1985)
Delaney & Timbrell, Xenobiotica., 25: 1399-1410 (1995)
DeLeve et al., Biochem. Pharmacol., 53: 1339-1345 (1997)
DeNoble et al., Pharmacol. Biochem. Behav., 36: 957-961 (1990)
Diel et al., J. Steroid Biochem. Mol. Biol., 73: 1-10 (2000)
Dilworth et al., Toxicol. In Vitro, 4: 169-176 (2000)
Dirven et al., Biochem. Pharmacol., 43: 261-299 (1992)
Dodds & Rivory, Mol. Pharmacol., 56: 1346-1353 (1999)
Dos Santos et al., J. Am. Soc. Nephrol., 8: 361-367 (1997)
Duivenvoorden et al., Biochem. Biophys. Res. Commun., 215: 598-605 (1995)
Dutar et al., Brain Res., 527: 32-40 (1990)
Eadie et al., Med. Toxicol. Adverse Drug Exp., 3: 85-106 (1988)
Eldridge et al., Carcinogenesis, 11: 2245-2251 (1990)
Ellis & Isaacs, Cancer Res., 45: 6041-6050 (1985)
Emmison et al., Biochim. Biophys. Acta, 1083: 147-152 (1991)
Enomoto et al., Toxicol. Sci., 59: 169-177 (2001)
Eri & Tveter, Eur. Urol., 26: 219-226 (1994)
Falzon et al., Br. J. Exp. Pathol., 66: 527-534 (1985)
Fan & Rozman, Toxicol. Lett., 75: 209-216 (1995)
Fan et al., J. Biol. Chem, 271: 24698-24710 (1996)
Farag & Hassib, Clin. Sci. (Lond), 84: 387-390 (1993)
Farghali et al., Int. J. Immunopharmacol., 19: 599-604 (1997)
Farghali et al., Methods Find. Exp. Clin. Pharmacol., 6: 449-454 (1984)
Fariss et al., Hepatology, 20: 240-246 (1994)
Farr & Dunn, Toxicol. Sci., 50: 1-9 (1999)
Farr et al., "Concise review: gene expression applied to toxicology," Toxicol Sci 50(1):1-9, 1999.

Page 7 of 20

	rage / 01 20
_	Fernandez-Salguero & Gonzalez, Pharmacogenetics, 5: S123-128
181	Fernandez-Tome & Sterin-Speziale, Pharmacology, 48: 341-348 (1994)
182	Ficazzola et al., Carcinogenesis, 22: 1271-1279 (2001)
183	Fielden & Zacharewski, Toxicol. Sci., 60: 6-10 (2001)
184	Fitten et al., J. Gerontol., 42: 681-685 (1987)
185	Forestier et al., Biochem. Biophys. Res. Commun., 225: 377-383 (1996)
186	Fracasso et al., Agents Actions, 22: 3-4 (1987)
187	Fracasso et al., Agents Actions, 31: 313-316 (1990)
188	Friedman et al., Dig. Dis. Sci., 44: 1362-1363 (1999)
189	
190	
191	Frueh et al., Mol. Pharmacol., 51: 363-399 (1997)
192	Fujiki, FEBS Lett., 476: 42-46 (2000)
193	
194	Furr, Ann. N.Y. Acad. Sci., 761: 79-96 (1995)
195	Furr, Eur. Urol., 29: 83-95 (1996)
196	Galisteo et al., J. Pharmacol. Exp. Ther., 294: 160-167 (2000)
197	
198	
199	
200	Garcia-Allan et al., Arch. Toxicol., 71: 409-415 (1997)
201	Garcia-Allan et al., J. Biochem. Mol. Toxicol, 14: 65-72 (2000)
202	Gebhardt et al., Cell. Biol. Toxicol., 12: 57-68 (1996)
203	Geiger et al., Agents Actions, 38: Spec No: C69-72 (1993)
204	
205	
206	
207	Ghatineh & Timbrell, Biochem. Soc. Trans., 18: 1217-1218 (1990)
208	Ghatineh et al., Arch. Toxicol., 66: 660-668 (1992)
209	Giacobini et al., Neuropharmacology, 35: 205-211 (1996)
	182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208

Page 8 of 20

 	Page 8 of 2
210	Giacobini, Neurochem. Int., 32: 413-419 (1998)
211	Gil et al., Biochim. Biophys. Acta., 1272: 140-146 (1995)
212	Goll et al., Toxicol. Appl. Pharmacol., 160: 21-32 (1999)
213	Gomez-Lechon et al., Altern. Lab. Anim., 29: 225-231 (2001)
 214	Gong et al., Pharmacogenetics, 11: 357-368 (2001)
215	Gracon et al., Alzheimer Dis. Assoc. Disord., 12: 93-101 (1998)
216	Gram & Bentsen, Acta Neurol. Scand. Suppl., 97: 81-90 (1983)
217	Greaves et al., Cancer Res., 53: 3919-3924 (1993)
218	Green et al., Toxicol. Appl. Pharmacol., 76: 139-149 (1984)
219	Guardavaccaro et al., Mol. Cell. Biol., 20: 1797-17815 (2000)
 220	Guarner et al., Liver, 5: 35-39 (1985)
221	Gupta et al., Carcinogenesis, 6: 933-936 (1985)
 222	Gupta et al., Toxicol. Appl. Pharmacol., 146: 317-327 (1997)
223	Ha et al., Biochem. Mol. Biol. Int., 29: 387-393 (1993)
224	Hakansson, Acta Neurol. Scand. Suppl., 149: 7-9 (1993)
225	Hallak & Giacobini, Neuropharmacology, 26: 521-530 (1987)
226	Hamada et al., Hepatology, 21: 1455-1464 (1995)
_ 227	Hamada et al., J. Hepatol., 30: 807-818 (1999)
228	Hanson et al., Lab. Invest., 41: 500-503 (1979)
229	Hargus et al., Chem. Res. Toxicol., 7: 575-582 (1994)
230	Hargus et al., Chem. Res. Toxicol., 8: 993-996 (1995)
231	Harries et al., Toxicol. In Vitro, 15: 399-405 (2001)
 232	Hartung & Wendel, Biochem. Pharmacol., 42: 1129-1135 (1991)
233	Hartung et al., Dev. Biol. Stand., 86: 85-96 (1996)
 234	Hase et al., Planta Med., 63: 22-26 (1997)
235	Hassett et al., Biochem. Pharmacol., 55: 1059-1069 (1998)
 236	Hayashi et al., Biochim. Biophys. Acta., 879: 140-148 (1986)
237	He et al., J. Biol. Chem, 276: 20858-20865 (2001)
238	Hellriegel et al., Biochem. Pharmacol., 52: 1561-1568 (1996)
239	Henderson et al., Proc. Natl. Acad. Sci. U.S.A., 97: 12741-12745 (2000)
240	Herbst et al., Am. J. Pathol., 150: 1647-1659 (1997)

Page 9 of 20

	Fage 9 01 20
24	Hessel et al., Braz. J. Med. Biol. Res., 29: 793-796 (1996)
242	Hildebrand et al., Arch. Toxicol., 73: 233-245 (1999)
243	Hill & Roth, Toxicol. Appl. Pharmacol., 148: 169-175 (1998)
244	Hill et al., Toxicol. Sci., 47: 118-125 (1999)
245	Hillstrom et al., Proc. Soc. Exp. Biol. Med., 200: 122-126
240	Hinz et al., Neurochem. Res., 21: 331-337 (1996)
24	Hissink et al., Chem. Res. Toxicol., 9: 1249-1256 (1996)
248	Hoebe et al., Vet. Q., 22: 21-25 (2000)
249	Hogue, Chemical and Engineering News, 79: 33-34 (2001)
250	Hoshi & Fujino, Chem. Pharm. Bull., 38: 3446-3448 (1990)
25	Hoshi et al., Jpn. J. Pharmacol., 50: 289-293 (1989)
252	Hunter et al., Br. J. Pharmacol., 98: 79-86 (1989)
253	Hussain et al., Sci. Total. Environ., 274: 151-160 (2001)
254	Ibebunjo et al., Can. J. Anaesth., 44: 1021-1026 (1997)
255	Iimuro et al., J. Leukoc. Biol., 55: 723-728 (1994)
250	Inohara et al., EMBO J., 17: 2526-2533 (1998)
257	International Search Report in Applicants' PCT Application No. PCT/US01/23872, March 21, 2003.
258	Iredale et al., J. Clin. Invest., 102: 538-549 (1998)
259	Irizarry et al. (2003), "Summaries of Affymetrix GeneChip probe level data," Nucl Acids Res 31(4):e15, 8 pp.
260	Iswaran et al., J. Toxicol. Sci., 22: 75-88 (1997)
· 26	Itoh et al., Behav. Brain Res., 83: 165-167 (1997)
262	Itoh et al., Eur. J. Pharmacol., 322: 11-19 (1997)
263	Izumi et al., J. Biol. Chem, 272: 7381-7389 (1997)
264	James & Roberts, Carcinogenesis, 17:1623-32 (1996)
265	
260	Jenner & Timbrell, Arch. Toxicol., 68: 349-357 (1994)
267	Jeon et al., Toxicol. Appl. Pharmacol., 144: 27-35 (1997)
268	Jinno, et al., Arch. Toxicol., 71: 550-555 (1997)
269	Johnston & Kroening, Pharmacol. Toxicol., 83: 231-239 (1998)
270	Jover et al., Biochem. Pharmacol., 46: 1967-1974 (1993)
	1

Page 10 of 20

	rage 10 of 20
271	Jover et al., Toxic. in Vitro., 6: 47-52 (1992)
272	Jurima-Romet & Huang, Biochem. Pharmacol., 46: 2163-2170 (1993)
273	Kaminski & Stevens, <i>Toxicology</i> , 75: 175-188 (1992)
274	Kanaji et al., J. Cell Biol., 151: 277-288 (2000)
275	Kannan et al., Oncogene., 20: 2225-2234 (2001)
276	Karam & Ghanayem, Carcinogenesis, 18: 2077-2083 (1997)
277	Karchner et al., Mar. Environ. Res., 50: 51-56 (2000)
278	Kasper & Mueller, Carcinogenesis, 17: 2271-2274 (1996)
279	Kasper & Mueller, Carcinogenesis, 20: 2185-2188 (1999)
280	Kato & Yamazoe et al., Toxicol. Lett., 64-65: 661-667 (1992)
281	Kaufmann et al., Carcinogenesis, 9: 779-782 (1988)
282	Kawai et al., Infect. Immun., 59: 2560-2566 (1991)
283	Keller et al., Toxicol. Appl. Pharmacol., 104: 259-266 (1990)
284	Kemper, Prog. Nucleic Acid Res. Mol. Biol., 61: 23-64 (1998)
285	
286	Kim & Ziegler, Drug Metab. Dispos., 28: 1003-1006 (2000)
287	Kim et al., Drug Metab. Dispos., 26: 66-72 (1998)
288	Kim et al., Toxicol. Appl. Pharmacol., 102: 34-39 (1990)
289	Kinbara et al., Scand. J. Gastroenterol., 32: 947-952 (1997)
290	King & Somani, Life Sci., 41: 2007-2015 (1987)
291	Kingsley et al., Epilepsia, 21: 699-704 (1980)
292	Kingsley et al., J. Clin. Pharmacol., 23: 178-185 (1983)
_ 293	Kishi et al., Mol. Aspects Med., 18: S71-S77 (1997)
294	Kitteringham et al., Hepatology, 32: 321-333 (2000)
295	Knapp et al., Am. J. Vet. Res., 56: 801-805 (1995)
296	Knight et al., Toxicol. Sci., 62: 212-220 (2001)
297	Kobayashi et al., Drug Metab. Dispos., 26: 1026-1030 (1998)
298	
- 299	
300	

Page 11 of 20

	rage 11 of 20
301	Kondo et al., Cancer Res., 50: 6222-6228 (1990)
302	Kongo et al., Toxicol. Lett., 105: 103-110 (1999)
303	Koopen et al., Hepatology 27: 537-545 (1998)
304	Koopen et al., J. Lipid. Res., 40: 100-108 (1999)
305	Kossor et al., Biochem. Pharmacol., 46: 2061-2066 (1993)
306	Kossor et al., Fundam. Appl. Toxicol., 26: 51-62 (1995)
307	Kossor et al., Toxicol. Appl. Pharmacol., 119: 108-114 (1993)
308	Krall et al., Ann. Pharmacother., 33: 441-450 (1999)
309	Kretz-Rommel & Boelsterli, Toxicol. Appl. Pharmacol., 120: 155-161 (1993)
310	Kryger et al., Structure Fold. Des., 7: 297-307 (1999)
311	Kullak-Ublick & Meier, Clin. Liver Dis., 4: 357-385 (2000)
312	Kunstle et al., Immunol. Lett., 55: 5-10 (1997)
313	Kuo et al., J. Pharmacol. Exp. Ther., 282: 1072-1083 (1997)
314	Kwak et al., Mol. Med., 7: 135-145 (2001)
315	Lacroix et al., Gene, 86: 201-207 (1990)
316	Lagadic-Gossmann et al., Cell Biol. Toxicol., 14: 361-373 (1998)
. 317	Lahiri & Farlow, J. Mol. Neurosci., 7: 41-49 (1996)
318	Lake et al., Environ. Health Perspect., 67: 283-290 (1986)
319	Lake et al., Toxicology., 131: 9-20 (1998)
320	Lake, Annu. Rev. Pharmacol. Toxicol., 35: 483-507 (1995).
321	Lamb et al., Toxicol. Appl. Pharmacol., 101: 106-113 (1989)
322	Lang et al., Alcohol Clin. Exp. Res., 22: 823-829 (1998)
323	Larrauri et al., Mol. Toxicol., 1: 301-311 (1987-1988)
324	Larsen & Jefcoate, Arch. Biochem. Biophys., 321: 467-476 (1995)
325	Laskin et al., Hepatology, 21: 1045-1050 (1995)
326	Lauredo et al., J. Appl. Physiol., 85: 2298-2304 (1998)
327	Laurent & Fraser, FASEB J., 6: 2397-2404 (1992)
328	Lazartigues et al., Eur. J. Pharmacol., 361: 61-71 (1998)
329	Lee et al., J. Pharm. Pharmacol., 52: 341-355 (2000)
330	Lees et al., Lipids, 30: 221-226 (1995)
330	Lees et al., Lipids, 30: 221-226 (1995)

Page 12 of 20

	ge 12 of 20
331 Lemberger et al., J. Biol. Chem., 271: 1764-1769 (1996)	
Lèullmann-Rauch & Scheid, Virchows Arch. B Cell Pathol., 19: 255-268 (1975)	
333 Lewis et al., Hepatology, 2: 870-873 (1982)	
334 Li et al., Biochem. Biophys. Res. Commun., 229: 982-999 (1996)	
335 Li et al., Zhonghua Gan Zang Bing Za Zhi, 9: 103-104 (2001)	
Liang et al., Zhonghua Gan Zang Bing Za Zhi, 7: 72-73 (1999)	
337 Lin et al., Chem. Res. Toxicol., 9: 1183-1193 (1996)	
338 Liu et al., Biol. Pharm. Bull., 21: 44-49 (1998)	
339 Liu et al., Cancer Res., 52: 4139-4143 (1992)	
340 Liu et al., Infect. Immun., 66: 5089-5098 (1998)	
341 Liu et al., Mol. Cell. Biol., 20: 6105-6113 (2000)	
342 Liu et al., Proc. Natl. Acad. Sci. U.S.A., 98: 6192-6197 (2001)	
343 Liu et al., SHOCK, 14: 361-365 (2000)	-
344 Lock et al., Toxicol. Lett., 10: 427-435 (1982)	
345 Lomri et al., Chem. Res. Toxicol., 6: 800-807 (1993)	
346 Lorenzini et al., Carcinogenesis, 17: 1323-1329 (1996)	
347 Lovett, Science, 289: 536-537 (2000)	
348 Lugovskoy et al., Cell, 99: 747-755 (1999)	
Lullmann & Lullmann-Rauch, Toxicol. Appl. Pharmacol., 61: 138-146 (1981)	
350 Lupo et al., Toxicology., 44: 229-239 (1987)	·
351 M'Harzi et al., Pharmacol. Biochem. Behav., <b>56</b> : 663-668 (1997)	
352 Mahnke et al., Arch. Biochem. Biophys., 337: 62-68 (1997)	
353 Mancy et al., Biochemistry, 38: 14264-14270 (1999)	
354 Mann, Toxicol. Pathol., 25: 72-79 (1997)	
355 Manoukian & Carson, <i>Drug Saf.</i> , 15: 64-71 (1996)	
356 Marsman et al., Toxicol. Appl. Pharmacol., 122: 1-6 (1993)	
357 Martelli et al., Carcinogenesis, 16: 1265-1269 (1995)	
358 Martelli et al., J. Pharmacol. Exp. Ther., 273: 113-120 (1995)	
359 Martelli et al., Mutagenesis, 14: 463-472 (1999)	
360 Masubuchi et al., J. Pharmacol. Exp. Ther., 287: 208-213 (1998)	
$\frac{1}{3}$	Leulmann-Rauch & Scheid, Virchows Arch. B Cell Pathol., 19: 255-268 (1975)  Lie wis et al., Hepatology, 2: 870-873 (1982)  Lie al., Biochem. Biophys. Res. Commun., 229: 982-999 (1996)  Liang et al., Zhonghua Gan Zang Bing Za Zhi, 9: 103-104 (2001)  Liang et al., Zhonghua Gan Zang Bing Za Zhi, 7: 72-73 (1999)  Liang et al., Chem. Res. Toxicol., 9: 1183-1193 (1996)  Liu et al., Biol. Pharm. Bull., 21: 44-49 (1998)  Liu et al., Biol. Pharm. Bull., 21: 44-49 (1998)  Liu et al., Infect. Immun., 66: 5089-5098 (1998)  Liu et al., Infect. Immun., 66: 5089-5098 (1998)  Liu et al., Proc. Natl. Acad. Sci. U.S.A., 98: 6192-6197 (2001)  Liu et al., SHOCK, 14: 361-365 (2000)  Liu et al., SHOCK, 14: 361-365 (2000)  Liu et al., Chem. Res. Toxicol., 6: 800-807 (1993)  Lorenzini et al., Carcinogenesis, 17: 1323-1329 (1996)  Lugovskoy et al., Cell, 99: 747-755 (1999)  Lulmann & Lullmann-Rauch, Toxicol. Appl. Pharmacol., 61: 138-146 (1981)  M'Harzi et al., Pharmacol. Biochem. Behav., 56: 663-668 (1997)  Mancy et al., Biochemistry, 38: 14264-14270 (1999)  Mann, Toxicol. Pathol., 25: 72-79 (1997)  Manoukian & Carson, Drug Saf., 15: 64-71 (1996)  Marsman et al., Carcinogenesis, 16: 1265-1269 (1995)  Martelli et al., J. Pharmacol. Exp. Ther., 273: 113-120 (1995)  Martelli et al., Mutagenesis, 14: 463-472 (1999)

Page 13 of 20

		Page 13 of 2
	361	Masubuchi et al., J. Pharmacol. Exp. Ther., 292: 982-987 (2000)
	362	Matsuda et al., Bioorg. Med. Chem. Lett., 8: 2191-2196 (1998)
	363	Matsuo et al., Acta Med. Okayama, 46: 345-354 (1992)
	364	Mayeux & Sano, N. Engl. J. Med., 341: 1670-1679 (1999)
	365	Mayol et al., Carcinogenesis., 13: 2381-2388 (1992)
	366	Mayorga et al., Pharmacol. Biochem. Behav., 56: 273-279 (1997)
	367	Maziasz et al., Toxicol. Appl. Pharmacol., 110: 365-373 (1991)
	368	McGirr et al., Xenobiotica, 20: 933-943 (1990)
	369	McKillop et al., Xenobiotica., 28: 465-478 (1998)
	370	McMartin et al., Res. Commun. Chem. Pathol. Pharmacol., 31: 99-110 (1981)
	371	Mejdoubi et al., Biochem. Biophys. Res. Commun., 254: 93-99 (1999)
	372	Menegazzi et al., Hepatology, 25: 585-592 (1997)
	373	Metz & Ritter, J. Biol. Chem., 237: 5607-5614 (1998)
	374	Metz et al., Mol. Pharmacol., 58: 319-327 (2000)
	375	Meyers et al., J. Pharmacol. Exp. Ther., 214: 87-93 (1980)
	376	Migliari et al., Arch. Ital. Urol. Androl., 71: 293-302 (1999)
	377	Milam and Byard, Toxicol. Appl. Pharmacol., 79: 342-347 (1985)
	378	Miller et al., Toxicol. Sci., 48: 30-37 (1999)
	379	Minamide et al., J. Pharm. Sci., 87: 640-646 (1998)
	380	Mino et al., J. Histochem. Cytochem., 46: 1151-1160 (1998)
	381	Mitchell & Acosta, J. Toxicol. Environ. Health, 7: 83-92 (1981)
	382	Mitchell et al., Ann. Intern. Med., 84: 181-192 (1976)
	383	Mizutani & Miyamoto, Toxicol. Lett., 105: 25-30 (1999)
	384	Mohammed et al., J. Neural. Transm. Park. Dis. Dement. Sect., 2: 285-294 (1990)
	385	Monteith et al., Arch. Toxicol., 72: 147-156 (1998)
	386	Monteith et al., Drug Chem. Toxicol., 19: 71-84 (1996)
	387	Moore et al., Fundam. Appl. Toxicol., 3: 560-568 (1983)
	388	Moran et al., Immunopharmacology, 12: 245-250 (1986)
	389	Morigasaki et al., Biochem. Biophys. Res. Commun., 273: 261-266 (2000)
	390	Morooka et al., J. Biol. Chem, 270: 30084-30092 (1995)
<u></u>		

Page 14 of 20

	Page 14 of 2
391	Motoki et al., Cancer Lett., 135: 145-150 (1999)
392	Mus'ilkov'a & Tucek, Neurosci. Lett., 125: 113-136 (1991)
393	Nabeshima et al., Jpn. J. Pharmacol., 57: 311-319 (1991)
394	Nakamura & Lou, J. Biol. Chem., 270: 7347-7353 (1995)
395	Neghab & Stacey, Chem. Biol. Interact., 99: 179-192 (1996)
396	Nguyen et al. (2002), "Tumor classification by partial least squares using microarray gene expression data," Bioinformatics 18(1):39-50.
397	Nicholls-Grzemski et al., Toxicol. Sci., 56: 220-228 (2000)
398	Nims et al., Carcinogenesis., 8: 67-71 (1987)
399	Nochi et al., Biol. Pharm. Bull., 18: 1145-1147 (1995)
400	Nordberg & Svensson, <i>Drug Saf.</i> , <b>19</b> : 465-480 (1998)
401	Nussler et al., ALTEX, 18: 91-101 (2001)
402	Nuwaisyr et al., "Microarrays and toxicology: the advent of toxicogenomics," Molecular Carcinogenesis 24(3): 153-159, 1999.
403	Nuwaysir et al., Mol. Carcinog., 24: 153-159 (1999)
404	O'Hara et al., Fundam. Appl. Toxicol., 13: 605-615 (1989)
405	O'Hara et al., J. Appl. Toxicol., 11: 147-154 (1991)
406	Oberhammer et al., Hepatology, 23: 329-337 (1996)
407	Ohta et al., Biochem. J., 324: 777-782 (1997)
408	Ohuchi et al., Am. J. Physiol., 268 (6 Pt 1) G997-G1003 (1995)
409	Olivier & Krisans, Biochim. Biophys. Acta, 1529: 89-102 (2000)
410	Olsen et al., Chem. Biol. Interact., 107: 93-108 (1997)
411	Olson et al., Fundam. Appl. Toxicol., 22: 631-640 (1994)
412	Omiecinski et al., Mol. Pharmacol., 38: 462-470 (1990)
413	Omogbai et al., Drug Chem. Toxicol., 22: 629-242 (1999)
414	Ono et al., Biol. Pharm. Bull., 18: 1779-1783 (1995)
415	Ono et al., Chem. Pharm. Bull. (Tokyo), 43: 1483-1487 (1995)
416	Ono et al., Chem. Pharm. Bull. (Tokyo), 43: 1492-1496 (1995)
417	Orsler et at., Toxicol. Sci., 47: 203-210 (1999)
418	Outinen et al., Blood, 94: 959-967 (1999)
419	Owen et al., Biochem. J., 348 Pt 3: 607-614 (2000)
420	Padgham et al., Biochem. Biophys. Res. Commun., 15: 599-605 (1993)

Page 15 of 20

	Page 15 01 20
421	Panduro et al., Nephron, 65: 100-107 (1993)
422	Paoletti et al., Exp. Neurol., 149: 349-355 (1998)
423	Paolini et al., Chem. Biol. Interact., 95: 127-139 (1995)
424	Park & Pirmohamed, Toxicol. Lett., 120: 281-291 (2001)
425	Park et al., Pharmacol. Ther., 68: 385-424 (1995)
426	Parte et al., J. Androl., 21: 525-533 (2000)
427	Parzefall et al., Carcinogenesis, 22: 519-523 (2001)
428	Passreiter et al., J. Cell Biol., 141: 373-383 (1998)
429	Pennie et al., Toxicol. Lett., 120: 353-358 (2001)
430	Pennie et al., Toxicol. Sci. 54: 277-283 (2000)
431	Pennie, Toxicol. Lett., 112-113: 473-477 (2000)
432	Penzes et al., Gene, 191: 167-172 (1997)
433	Perrone et al., Toxicol. Appl. Pharmacol., 150: 277-286 (1998)
434	Peruzzi et al., Neuroreport., 8: 103-108 (1996)
435	Petrulis & Bunce, J. Biochem. Mol. Toxicol., 14: 73-81 (2000)
436	Phillips et al., Carcinogenesis, 17: 89-94 (1996)
437	Pischedda et al., Proc. Natl. Acad. Sci. U.S.A., 92: 3511-3515 (1995)
438	Plant et al., Carcinogenesis, 19: 925-931 (1998)
439	Plymale & de la Iglesia, J. Appl. Toxicol., 19: 31-38 (1999)
440	Pohl et al., Arthritis Rheum., 37: 1557 (1994)
441	Pollenz et al., Toxicol. Sci., 42: 117-128 (1998)
442	Porubek et al., Drug Metab. Dispos., 17: 123-130 (1993)
443	Porubek et al., Mol. Pharmacol., 31: 647-653 (1987)
444	Poyet & Labrie, Mol. Cell. Endocrinol., 42: 283-288 (1985)
445	Preece et al., Arch. Toxicol., 64: 49-53 (1990)
446	Prevot et al. J. Biol. Chem, 276: 9640-9648 (2001)
447	Pumford et al., Drug Metab. Rev., 29: 39-57 (1997)
448	Puri et al., Mutagenesis, 6: 471-478 (1991)
449	Qi et al., Cell. Biochem. Biophys., 32: 187-204 (2000)
450	Rabe et al., Drug Saf., 14: 25-38 (1996)
451	Raburn et al., "Stage-specific expression of B Cell Translocation Gene 1 in rat testis," Endocrinology 136(12): 5769-5777, 1995.

Page 16 of 20

	Page 16 of 20
452	Ratanasavanh et al., Xenobiotica., 18: 765-771 (1988)
453	Ray & Jena, Arch. Toxicol., 73: 594-606 (2000)
454	Raymond et al., J. Toxicol. Environ. Health, 51: 463-476 (1997)
455	Reilly et al., Biochem. Biophys. Res. Commun., 282: 321-328 (2001)
456	Reuter et al., Life Sci., 55: 1-8 (1994)
457	Rice et al., Carcinogenesis., 15: 395-402 (1994)
458	Rich et al., Nature, 407: 777-783 (2000)
459	Riekkinen et al., Eur. J. Pharmacol., 322: 1-9 (1997)
460	Riekkinen et al., Eur. J. Pharmacol., 323: 11-19 (1997)
461	Riekkinen et al., Eur. J. Pharmacol., 366: 13-18 (1999)
462	Riendeau et al., Br. J. Pharmacol., 121: 105-117 (1997)
463	Rininger et al., Biochem. Pharmacol., 52: 1749-1755 (1996)
464	Rininger et al., Drug Discov. Today, 5: 560-568 (2000)
465	Roberts et al., Toxicol. Appl. Pharmacol., 135: 192-199 (1995)
466	Roberts et al., Toxicol. Lett., 112-113: 49-57 (2000)
467	Roberts et al., Toxicol. Lett., 50: 283-288 (1990)
468	Robertson et al., Arch. Toxicol., 72: 362-371 (1998)
469	Rockett & Dix, Environ. Health Perspect., 107: 681-685 (1999)
470	Rodi et al., Toxicol. Pathol., 27: 107-110 (1999)
471	Rodrigues & Machinist, Toxicol. Appl. Pharmacol., 137: 193-201 (1996)
472	Roskams et al., Hepatology, 24: 524-532 (1996)
473	Roskams et al., J. Pathol., 185: 290-297 (1998)
474	Roy, J. Endocrinol., 70: 189-195 (1976)
475	Ruepp et al., Toxicol. Sci., 65: 135-150 (2002)
476	Runge-Morris et al., Drug Metab. Dispos., 24: 734-737 (1996)
477	Runge-Morris et al., Drug Metab. Dispos., 26: 795-801 (1998)
478	Runge-Morris, Chem. Biol. Interact., 3: 15-27 (1998)
479	Rusyn et al., Carcinogenesis, 20: 2095-2100 (1999)
480	Sachidanandam et al., Nature, 409: 928-933 (2001)

Page 17 of 20

	Page 17 of 2
481	Safe, Annu. Rev. Pharmacol. Toxicol., 38: 121-158 (1998)
482	Sallustio & Holbrook, Drug Metab. Dispos., 29: 1535-1538 (2001)
483	Scales & Timbrell, J. Toxicol. Environ. Health, 10: 941-953 (1982)
484	Scali et al., Pharmacol. Res., 36: 463-469 (1997)
485	Scassa et al., Exp. Cell Res., 244: 460-469 (1998)
486	Schiaffonati & Tiberio, Liver, 17: 183-191 (1997)
487	Schiller et al., Toxicol. Appl. Pharmacol., 81: 356-361 (1985)
488	Schilter, B. et al. Activation of cytochrome P450 gene expression in rat brain by phenobarbital-like inducers. J Pharmacol Exp Ther 294(3):916-22 (Sept. 2000). Abstract only.
489	
490	Scholer et al., Am. J. Med., 80: 34-38 (1986)
491	Schrenk et al., Arch. Toxicol., 65: 114-118 (1991)
492	Schulte-Hermann et al., Cancer Res., 48: 2462-2468 (1988)
493	Seefeld et al., Arch. Environ. Contam. Toxicol., 9: 317-327 (1980)
494	Seitz et al., Chem. Res. Toxicol., 11: 513-519 (1998)
495	Seitz et al., Hepatology, 20: 487-493 (1994)
496	Sendo et al., Chem. Pharm. Bull. (Tokyo), 32: 795-796 (1984)
497	Servais & Galand, Cell Biol. Int Rep., 16: 319-328 (1992)
498	Sèurmen & Eryèurek, Toxicology, 75: 63-69 (1992)
499	Severson et al., Can. J. Physiol. Pharmacol., 62: 244-247 (1984)
500	Shackleton et al., Toxicol. Appl. Pharmacol., 130: 294-303 (1995)
501	Shannon et al., J. Pharmacol. Exp. Ther., 255: 1071-1077 (1990)
502	Shear et al., Skin Pharmacol., 8: 279-291 (1995)
503	Shervington, Biochem. Mol. Biol. Int., 45: 303-313 (1998)
504	Sheweita et al., Toxicology, 28: 217-224 (2001)
505	Shiota et al., Res. Commun. Mol. Pathol. Pharmacol., 94: 141-146 (1996)
506	Shirley et al., Drug Metab. Dispos., 21: 580-586 (1993)
507	Shultz et al., Toxicol. Appl. Pharmacol., 154: 84-96 (1999)
508	Sidhu & Omiecinski, J. Biochem. Mol. Toxicol., 13: 1-9 (1999)
509	Sidhu & Omiecinski, J. Biol. Chem., 273: 4769-4775 (1998)
510	Sidhu et al., Arch. Biochem. Biophys., 301: 103-113 (1993)
511	Sinz & Woolf, <i>Biochem. Pharmacol.</i> , 54: 425-427 (1997)

Page 18 of 20

		Page 18 01 20
	512	Skouteris and McMenamin, Biochem. J., 281: 729-733 (1992)
l.	513	Skrtic et al., J. Hepatol., 27: 903-911 (1997)
	514	Smith et al., J. Neurosci. Res., 66: 236-241 (2001)
	515	Smith et al., J. Pharmacol. Exp. Ther., 280: 710-720 (1997)
	516	Smith, Trends Pharmacol. Sci., 22: 281-285 (2001)
	517	Snape et al., Neuropharmacology, 38: 181-193 (1999)
	518	Somani & Dube, Int. J. Clin. Pharmacol. Ther. Toxicol., 27: 367-387 (1989)
	519	Somani, Biopharm. Drug Dispos., 10: 187-203 (1989)
	520	Soni et al., Regul. Toxicol. Pharmacol., 29: 165-174 (1999)
	521	Stachlewitz et al., J. Pharmacol. Exp. Ther., 282: 1591-1599 (1997)
	522	Stohs et al., Biochem. Biophys. Res. Commun., 111:854-859 (1983)
	523	Styles et al., Carcinogenesis, 18: 303-313 (1997)
_	524	Sundstrom et al., Biochem. Pharmacol., 37: 1003-1008 (1988)
	525	Takeuchi et al., Neuropediatrics, 19: 158-161 (1988)
	526	Tamura et al., Toxicology, 63: 199-213 (1996)
	527	Tanaka et al., Clin. Exp. Pharmacol. Physiol., 20: 543-547 (1993)
	528	Tanaka et al., J. Physiol. Pharmacol., 50: 405-417 (1999)
	529	Tang et al., Drug Metab. Dispos., 27: 365-372 (1999)
	530	Tansey & Shechter, Prog. Nucleic Acid Res. Mol. Biol., 75: 157-195 (2001)
	531	Tarbet et al., J. Biol. Chem., 266: 16667-16673 (1991)
	532	Tarloff et al., Fundam. Appl. Toxicol., 30: 13-22 (1996)
	533	Tee et al., Toxicol. Appl. Pharmacol., 83: 294-314 (1986)
	534	Tenniswood et al., Mol. Cell. Endocrinol., 37: 153-158 (1984)
	535	Theilig et al., J. Am. Soc. Nephrol., 12: 2209-2220 (2001)
	536	Thomas et al., Oncogene, 19: 5259-5269 (2000)
	537	Timbrell & Waterfield, Adv. Exp. Med. Biol., 403: 125-134 (1996)
	538	Timbrell et al., J. Pharmacol. Exp. Ther., 213: 364-369 (1980)
	539	Timbrell et al., J. Toxicol. Environ. Health, 10: 955-968 (1982)
	540	Timbrell, Arch. Toxicol. Suppl., 2: 1-8 (1979)
	541	Tithof et al., Environ. Health Perspect., 104:52-58 (1996)
<u> </u>		

Page 19 of 20

		Page 19 01 20
	542	Titorenko & Rachubinski, Nat. Rev. Mol. Cell. Biol., 2: 357-68 (2001)
	543	Tobin et al., Mol. Endocrinol., 14: 741-752 (2000)
	544	Tournier et al., Lab. Invest., 59: 657-665 (1988)
	545	Trauner et al., N. Engl. J. Med., 339: 1217-1227 (1998)
	546	Tsokos-Kuhn, Arch. Biochem. Biophys., 265: 415-424 (1988)
	547	Tucker et al., Fundam. Appl. Toxicol., 3: 579-586 (1983)
	548	Tucker, Am. J. Med., 73: 27-30 (1982)
]	549	Turnbull et al., Biochem. Pharmacol., 32: 1887-1892 (1983)
	550	Tygstrup et al., J. Hepatol., 25: 183-190 (1996)
	551	Tygstrup et al., J. Hepatol., 27: 156-162 (1997)
	552	Uhl et al., Mutat. Res., 468: 213-225 (2000)
	553	Vaananen et al., Inflammation, 16: 227-240 (1992)
	554	van Gijssel et al., Carcinogenesis, 18: 1027-1033 (1997)
	555	Vance et al., Epilepsia, 35: 1016-1022 (1994)
	556	Varone & Canepa, Arch. Biochem. Biophys., 341: 259-266 (1997)
	557	Villalobos et al., J. Med. Chem., 38: 2802-2808 (1995)
	558	Vinggaard et al., Toxicol. Appl. Pharmacol., 55: 150-160 (1999)
	559	Visen et al., J. Pharmacol. Toxicol. Methods, 40: 173-179 (1998)
	560	Vonen and Morland, Arch. Toxicol., 56: 33-37 (1984)
	. 561	Wagstaff & McTavish, Drugs Aging, 4: 51-540 (1994)
	562	Wan et al., Infect. Immun., 63: 2435-2442 (1995)
	563	Wang & Dickinson, Drug Metab. Dispos., 26: 98-104 (1998)
	564	Wang & Tang, Eur. J. Pharmacol., 349: 137-142 (1998)
	565	Wang et al., Arch. Toxicol., 71: 638-645 (1997)
	. 566	Wang et al., Neuroreport., 10: 789-793 (1999)
_	567	Waring & Ulrich, Annu. Rev. Pharmacol. Toxicol., 40: 335-352 (2000
	568	Waring et al., Toxicol. Appl. Pharmacol., 175: 28-42 (2001)
	569	Waring et al., Toxicol. Lett., 120: 359-368 (2001)
	570	Watanabe et al., Biochem. Pharmacol., 60: 285-291 (2000)
	571	Watanabe et al., Free Radic. Biol. Med., 30: 1019-1028 (2001)

Page 20 of 20

		F age 20 01 20
	572	Waterfield et al., Biochem. Pharmacol., 46: 589-595 (1993)
	573	Weber et al., Chemosphere, 30: 2635-2641 (1998)
	574	Weber et al., Chemosphere, 30: 629-639 (1995)
* 11	575	Weber et al., Fundam. Appl. Toxicol., 21: 523-534 (1993)
	576	Weber et al., Toxicology, 66: 133-144 (1991)
	577	Werner et al., Mutat. Res., 395: 179-187 (1997)
	578	White et al., Biochem. Pharmacol., 45: 21-30 (1993)
	579	White et al., Carcinogenesis, 13: 2197-2203 (1992)
	580	Wiesenberg-Boettcher et al., Drugs Exp. Clin. Res., 15: 501-509 (1989)
	581	Williams et al., Biochem. Pharmacol., 49: 209-17 (1995)
	582	Williams et al., Drug Chem. Toxicol., 21: 449-476 (1998)
	583	Wong et al., Toxicol. Appl. Pharmacol., 153: 109-118 (1998)
	584	Woodcroft & Novak, <i>Drug Metab. Dispos.</i> , 26: 372-378 (1998)
	585	Woodward & Timbrell, Toxicology., 30: 65-74 (1984)
	586	Woolf et al., Drug Metab. Dispos., 21: 874-882 (1993)
	587	Wormser & Calp, Toxicology., 53: 323-329 (1988)
	588	Wroblewski & Olson, Drug Metab. Dispos., 16: 43-51 (1988)
	589	Xiong et al., Life Sci., 65: 421-430 (1999)
	590	Yamada et al., Life Sci., 61: 171-179 (1997)
	591	Yamamura et al., Drug Metab. Dispos., 27: 724-730 (1999)
	592	Yasuhara et al., Toxicol. Appl. Pharmacol., 79: 453-460 (1985)
	593	Yata et al., J. Hepatol., 30: 419-424 (1999)
	594	Yoshida & Suzuki, Eur. J. Pharmacol., 250: 117-124 (1993)
	595	Yoshida et al., Eur. J. Pharmacol., 214: 247-252 (1992)
	596	Zarif et al., Inflammation, 20: 217-227 (1996)
	597	Zeiger et al., Mutat. Res., 393: 189-197 (1997)
	598	Zhu et al., Neurosci. Lett., 95: 252-256 (1988)
Examiner ·		Date Considered
Examiner:	thre	tial if reference considered, whether or not citation is in conformance with MPEP 609; draw line ough citation if not in conformance and not considered. Include copy of this form with next mmunication to applicant.